



**Sunsail 33i - 2 Cabin, 1 Head**  
*Specifications*



# Specification and Equipment

## HULL & DECK

Prisma Process® injected deck, ISO gelcoat surface, discontinuous balsa block coring

Solid, hand-laid fibreglass, ISO gelcoat surface, protective barrier coat

Inner fibreglass grid, high-load zones cut out, drainage system through structure

Stainless steel bow pulpit, navigation lights and integrated wiring for lights

Stainless steel stern pulpits with buoy bracket

Double level of stainless steel lifelines with PVC coating, stainless steel stanchions

Toerail

4 x aluminium mooring cleats

Handrails on coachroof for secure movement forward

Fixed hull ports x 2 in saloon with curtains

Fixed windows along coachroof with integrated opening ports and curtains

Opening cockpit port into aft cabin

Opening deck hatch in saloon

Opening deck hatch in forward cabin and aft cabin

Sunsail striping and graphics

Outboard bracket on stern line

## ENGINE & STEERING SYSTEM

Yanmar 21 hp with heat exchanger, latest generation of environmentally friendly engines

Fully soundproofed engine compartment with engine access behind stairwell and from aft cabin

Stainless steel propeller shaft 25mm diameter and maintenance free stuffing box

Fuel/water separator

Fuel Filter

Rotomolded fuel tank located under aft berth with deck fill

Built-in muffler, air ventilation and stainless steel exhaust fitting aft

Fixed 3-blade bronze propeller

Rope cutter on prop shaft

Bulkhead-mounted compass

Throttle and engine control panel, warning lights, ignition protected by a plexiglass panel

Bimini

## MOORING & ANCHORING

Primary anchor and all chain rode

Secondary anchor with chain and rope

Electric windlass Quick 1000 w

combination rope and chain, vertical mounted in the anchor locker, handheld remote

Single anchor roller

Anchor locker forward, room for anchor and tackle

Anchor and steaming light

## COCKPIT

Fixed cockpit table

Cockpit bench seating

1 large cockpit locker to starboard under bench seat with separate gas locker in stern

Steering wheel mounted on steering pedestal with grabrail and instrumentation

Folding transom seat for easy access to the transom

Stainless steel folding swim ladder mounted on transom step

Hot/cold cockpit shower

Liferaft locker

## MAST & RIGGING

Classic mast aluminium with single spreaders, deck-stepped

Standing rigging discontinuous 1 x 19 stainless steel wire

Fixed backstay

Genoa furler with attachment to stemhead fitting and furling line lead aft to roof winch

Topping lift, mainsail halyard, genoa halyard, mainsheet, genoa sheets

Boom vang block and tackle system

## SAILS

Heavy duty charter spec fully battened mainsail

Heavy duty charter spec furling genoa with UV protection strips

Heavy duty chart spec lazyjacks and stackpack system

2 x Harken 32.2 self-tailing genoa winches

1 x Harken 16.1 self-tailing coachroof winch

Genoa tracks: adjustable lead cars

Turning blocks for genoa sheets

Winch handle with ball-bearing grip

Spinlock line jammers on coachroof

Mainsheet attached to padeyes forward of companionway hatch with sheet lead back to cockpit winch

## ELECTRICAL SYSTEM

12 v alternator output (80 amp)

50/60 hz battery charger

Separate engine start and domestic AGM (Absorbed Glass Matt) batteries system

Battery switches for engine bank, positive battery switch for domestic bank and negative general cut-off switch

Flush mounted chrome brass ceiling lights in saloon and cabins

Wall mounted lights in saloon and reading lights in cabins

Autopilot

Electronic depth and speed reading SOG from the GPS

Electronic wind speed and direction

Chart plotter with GPS

VHF at chart table with masthead antenna

Remote speaker for VHF in cockpit Stereo/CD with socket for MP3 with saloon speakers

Cockpit speakers for stereo

110 v or 220 v shore power wired direct

## WATER SYSTEM

Pressurised water distributed through-out the boat via semi-rigid hose

“Heavy-duty” water pump and accumulator tank for consistent water pressure

# Sunsail 33i - 2 Cabin, 1 Head

25 litre hot water tank that is connected to engine heat exchanger

Manual bilge pump in the cockpit

Chrome shower faucets in washrooms  
Shower sumps equipped with individual electric pumps with filters and on-off switches

Manual pump marine toilet

85 l rotomolded holding tank located in head compartment with valve for overboard discharge via gravity and deck fitting for pump out

## **SALOON**

Saloon with seating, cushions and storage under seating area

Folding saloon table with fiddles

Bottle storage compartment in table

Laminate floorboards with light-coloured lines and sealed edges throughout interior

Wood hull lining

Upper storage cabinets

Companionway with 4 varnished wood steps

Fan in saloon and galley

## **GALLEY**

Galley with laminated counter tops, chrome plumbing fittings, storage cabinets and drawers

Laminated panels with solid wood trim around galley, companionway and cabinetry, finished in satin UV stabilised varnish

L-galley to starboard with round, stainless steel sink, icebox, and cutlery storage

12 v compressor under stove with evaporator plate located in fridge compartment

2 burner stove with oven & grill

12 v fridge compartment with vertical access

## **NAVIGATION STATION**

Full-featured electrical panel with spare breakers, voltmeter and 12 v plug

Navigation desk with storage

## **HEAD**

Accessible from saloon

Sink, storage cabinet, clothes hook, towel holder, toilet paper holder

Shower sump with electric drainage pump

Wet locker

## **FORE CABIN**

Double V berth with high-density foam mattress

Storage locker under berth

Cabinet with hanging rod

Wide, bi-fold door for easy access

Vinyl lining on hull with lateral wood shelf

Fan in forward cabin

## **AFT CABIN**

Double berth with high-density foam mattress

Deep cabinet with shelves and hanging rod

Vinyl lining on hull with lateral wood shelf

Fan in aft cabin

## **ADDITIONAL CRUISING GEAR**

Above-deck equipment.

Bedding, linens and galley equipment.

Safety equipment.



## The SunSail 33i

The new SunSail 33i is built by Jeanneau and features a surprisingly spacious two-cabin layout. She is equipped with the best hardware and a voluminous interior making the perfect balance between the fast designed hull and the exceptional comfort of this two-cabin yacht.

This yacht will suit any level of sailor enabling them to enjoy their new yacht with their friends and family.



## Technical Information

Length Overall	32 ft 8 in. / 9.96 m
Waterline Length	30 ft / 9.16 m
Beam	10 ft 11 in. / 3.34 m
Draft	4 ft 9 in. / 1.45 m
Sail Area	554 sq ft / 51.5 sq m
Engine	21 hp
Fuel Capacity	36 gal. / 140 l
Water Capacity	42 gal. / 160 l
Berths	4 + 2 in saloon
Displacement	10,240 lb / 4645 kg
Heads	1
Showers	2